UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/542,723	07/20/2005	Michael Menth	2003P00697WOUS	8414
28524 7590 06/06/2008 SIEMENS CORPORATION INTELLECTUAL PROPERTY DEPARTMENT			EXAMINER	
			CHAN, SAI MING	
170 WOOD AVENUE SOUTH ISELIN, NJ 08830			ART UNIT	PAPER NUMBER
,			2616	
			MAIL DATE	DELIVERY MODE
			06/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/542,723	MENTH ET AL.
Office Action Summary	Examiner	Art Unit
	Sai-Ming Chan	2616
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>07 /</u> This action is FINAL . 2b) ☐ This action is FINAL . Since this application is in condition for allowated closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 11-25 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 11-25 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/ Application Papers 9) The specification is objected to by the Examination 10) The drawing(s) filed on is/are: a) acceptable application.	awn from consideration. for election requirement. ner.	Examiner.
Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	e drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receive au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate

DETAILED ACTION

Claims 1-10 canceled.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating

obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later

invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 11-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fodor et al. (U.S. Patent #6788646), in view of Bellows (U.S. Patent Publication #20040100901).

Consider **claim 11**, Fodor et al. clearly disclose and show a method for setting values of an access control (column 5, lines 10-25 (bandwidth control)) for limiting traffic transmission (column 5, lines 10-25 (restrict traffic connections)) in a communication network, wherein the communication network comprises a plurality of pairs of marginal nodes (fig. 1 (20), column 4, lines 61-67; column 5, lines 1-9 (20 IP routers)) between which the transmission occurs, and the limit values (column 1, lines 19-26 (limit imposed by link capacity)) of the access control are limit values regarding the pairs (column 5, lines 10-25 (bandwidth control)), the method comprising the following steps:

However, Fodor et al. do not specifically disclose the setting, increasing and updating of the limit values.

In the same field of endeavor, Bellows clearly shows the setting, increasing and updating of the limit values:

setting the limit values such that probabilities for each of the pairs related to not approving the transmission between the marginal nodes of the pair are substantially the same (paragraph 0003 (yellow is the defined bounds), fig. 2 (204 (Ti (yellow)),

paragraph 0030), and such that an overload situation in the communication network does not occur (fig. 2 (B=1 means no congestion), paragraph 0011);

increasing the limit values to a minimum value at which an overload situation starts to occur (fig. 2 (204 (Ti (red)), paragraph 0030), such that the probabilities are substantially the same (paragraph 0030); and

updating the limit value regarding at least one of the pairs of marginal nodes, between which a transmission occurs causing the overload situation, by setting the limit value to the minimum value (fig. 2 (206 (Ti(red)), paragraph 0032).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of invention to demonstrate a communication network, as taught by Foder et al., and show setting, increasing and updating of the limit values, as taught by Bellows, so that calls are routed through the network efficiently.

Consider **claim 12**, and **as applied to claim 11 above**, Fodor et al., as modified by Bellows, clearly disclose and show a method in accordance with claim 11, wherein the probabilities related to not approving the transmission between the marginal nodes of the pairs are blocking probabilities related to blocking the transmission between the marginal nodes of the pairs (column 1, lines 58-67; column 2, lines 1-5).

Consider **claim 13**, and **as applied to claim 11 above**, Fodor et al., as modified by Bellows, clearly disclose and show a method, wherein the marginal nodes include

nodes of the network representing sources or sinks of traffic of the network (fig. 1 (20), column 4, lines 61-67; column 5, lines 1-9 (20 IP routers)).

Consider claim 14, and as applied to claim 11 above, Fodor et al., as modified by Bellows, clearly disclose and show a method, wherein the marginal nodes are specified by ingress nodes and egress nodes of the network (fig. 1 (20), column 4, lines 61-67; column 5, lines 1-9 (20 IP routers)).

Consider claim 16, and as applied to claim 11 above, Fodor et al., as modified by Bellows, clearly disclose and show the method as described.

However, Fodor et al. do not specifically disclose setting the limit values.

In the same field of endeavor, Bellows clearly shows the overload situation is produced when in a scenario of high traffic load, in which the limit values for the access controls are still adhered to (fig. 2(Ti (yellow), paragraph 0032), a threshold value is exceeded on a link for the traffic transmitted over the link (fig. 2(Ti (red), paragraph 0032).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of invention to demonstrate a communication network, as taught by Foder et al., and show setting the limit values, as taught by Bellows, so that calls are routed through the network efficiently.

Consider claim 17, and as applied to claim 16 above,

claim 21, and as applied to claim 20 above,

Fodor et al., as modified by Bellows, clearly disclose and show a method, wherein the threshold value for the traffic transmitted over the link is assigned to the link such that in case of failure of the link, the traffic allowed within the framework of the access controls does not represent any overload (fig. 2; column 11, lines 19-59 (iterative procedure will re-tune the parameters)).

Consider claim 18, and as applied to claim 11 above, Fodor et al., as modified by Bellows, clearly disclose and show a method as described.

However, Fodor et al. do not specifically disclose the increasing and updating of the limit values.

In the same field of endeavor, Bellows clearly shows the increasing and updating of the limit values:

further increasing the limit values regarding further pairs of the pairs, which for the limit value is not determined yet, in excess of the minimum value to a further minimum value at which a further overload situation starts to occur (fig. 2 (204 (Ti (red)), paragraph 0030), such that the probabilities are substantially the same (paragraph 0030); and

updating the limit value regarding at least one of the further pairs of marginal nodes, between which a transmission occurs causing the further overload situation, by setting the limit value to the further minimum value (fig. 2 (206 (Ti(red)), paragraph 0032).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of invention to demonstrate a communication network, as taught by Foder et al., and show the increasing and updating of the limit values, as taught by Bellows, so that calls are routed through the network efficiently.

Consider claim 19, and as applied to claim 18 above, Fodor et al., as modified by Bellows, clearly disclose and show a method, comprising repeating the further steps until the limit values for all of the pairs are determined (fig. 2; column 11, lines 19-59 (iterative procedure for maximum cut-off parameters with minimum blocking probabilities)).

Consider **claim 20**, and **as applied to claim 18 above**, Fodor et al., as modified by Bellows, clearly disclose and show a method, wherein the further overload situation is produced when in a further scenario of high traffic load, in which the limit values for the access controls are still adhered to, a further threshold value is exceeded on a further link for the further traffic transmitted over the further link (fig. 2; column 11, lines

19-59 (iterative steps to tune the cut-off parameters to its maximum in order to minimize the blocking probabilities)).

Consider **claim 22**, and **as applied to claim 11 above**, Fodor et al., as modified by Bellows, clearly disclose and show a method, further comprising: making access checks for all the traffic of a class of service (column 5, lines 27-47 (provide the contracted QoS)).

Consider **claim 23**, and **as applied to claim 22 above**, Fodor et al., as modified by Bellows, clearly disclose and show a method, wherein the access checks relate to an approval or rejection of individual flows (column 1, lines 58-65 (reject new calls to protect in-progress calls in order to provide QoS)).

Consider **claim 24**, and **as applied to claim 11 above**, Fodor et al., as modified by Bellows, clearly disclose and show a network node with means for executing the method (fig. 2, column 11, lines 19-59).

Consider **claim 25**, and **as applied to claim 24 above**, Fodor et al., as modified by Bellows, clearly disclose and show a network node werein the network node is a marginal node of the network (fig. 1 (20), column 4, lines 61-67; column 5, lines 1-9 (20 IP routers)).

Application/Control Number: 10/542,723 Page 9

Art Unit: 2616

Claims 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over

Fodor et al. (U.S. Patent #6788646), in view of Bellows (U.S. Patent Publication

#20040100901), and in view of Hemmady et al. (U.S. Patent #4872157).

Consider claim 15, and as applied to claim 14 above, Fodor et al., as modified

by Hemmady et al., clearly disclose and show the method as described.

However, Fodor et al., as modified by Bellows, do not specifically disclose a

plurality of ingress and egress nodes.

In the same field of endeavor, Hemmady et al. clearly show the plurality of the

pairs comprises all pairs of the network consisting of an ingress node and an egress

node in each case (fig. 2, column 6, lines 54-59 (NIMs at the edge of the network)).

Therefore, it would have been obvious to a person of ordinary skill in the art at

the time of invention to incorporate a communication network, as taught by Foder et al.,

and demonstrate a plurality of edge nodes, as taught by Hemmady et al., so that calls

are routed through the network efficiently.

Response to Argument

Applicant's arguments filed on April 7, 2008, with respect to claims 11 and 18, on pages 2-4 of the remarks, have been carefully considered.

In the present application, Applicants basically argue, that Fodor et al. do not teach or suggest "limit value". The Examiner has modified the response with a new reference which combines with Fodor to provide "limit value". See the above rejections of claims 11 and 18, for the relevant interpretation and citations found in Bellows, disclosing the limitation.

Conclusion

Any response to this Office Action should be **faxed to** (571) 273-8300 **or mailed to**:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Sai-Ming Chan whose telephone number is (571) 270-1769. The Examiner can normally be reached on Monday-Thursday from 6:30am to 5:00pm.

Application/Control Number: 10/542,723 Page 11

Art Unit: 2616

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's

supervisor, Seema Rao can be reached on (571) 272-3174. The fax phone number for the

organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 571-272-

4100.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist/customer service whose telephone number is (571) 272-

2600.

/Sai-Ming Chan/

Examiner, Art Unit 2616

May 28, 2008

/Ian N. Moore/

Primary Examiner, Art Unit 2616

Application/Control Number: 10/542,723 Page 12

Art Unit: 2616